

Material Safety Data Sheet OSHA's Hazard Communication Standard U.S. Department of Labor

29 CFR 1910.1200

OMB No. 1218-0072

Identity # 07323

Name

BUBBLEGUM AIR FRESHENER

Section 1

Manufacture's Name - Genlabs (Formerly General Chemical Corp.)

Address - 5568 Schaefer Ave. Emergency Phone (Chemtrec) 1-(800)-424-9300

City - Chino

State - CA

Phone -

(909) 591-8451

Date Prepared-

1/27/99

Section 2 - Hazardous Ingredients/Identity Information

Hazardous Components

CAS#

OSHA PEL ACGIH TLV

Weight%

isopropanol

67630

400ppm

400ppm

Contact Person - Robert Munion

Note:

VOC Content- 19.9

g/L

Section 3 - Physical/Chemical Characteristics

Boiling Point- >212 F

Vapor Pressure - Not Tested

Vapor Density - Not Tested

Solubility In Water- 100%

Appearance and Odor ORANGE, BUBBLEGUM ODOR

Section 4 - Fire and Explosion Hazard Data

Flash Point- None

Flammable Limits - Not Tested

NONE

LEL-Not Tested

pH-6.0-8.0 UEL-DOT# Not Tested

Specific Gravity- 1.001

Melting Point - Not Tested

Evaporation Rate - Not Tested

NFPA Hazard Rating - H

F R 0

(0- Least, 4- Extreme) 0

0

Extinguishing Media- None

Special Fire Fighting Procedures- NONE

Unusual Fire and Explosion Hazards- NONE

Section 5 - Reactivity Data

Stability - Stable

Conditions to Avoid - None

Incompatible Materials to Avoid-Strong Oxidizers

Hazardous Decomposition or Byproducts- CO, CO2

Hazardous Polymerization- NONE

Conditions to Avoid-None Health Hazard Data

Routes of Entry Inhalation? - Possible Skin? - Possible Ingestion? - Possible

Health Hazards - Same as Signs and Symptoms of Exposures

Note - All Chemicals Incorporated into this Product are Found on the TSCA Inventory List.

OSHA Carcinogenicity? - None; NTP? - None; IARC Monographs? - None.

07323

Signs and symptons of over exposure:

Eyes - Burning Sensation

Skin-Not Expected to be a Problem

Ingestion-Nausea

Inhilation- Not Expected to be a Problem

Medical Conditions Generally Aggraved by Exposure - Same as Signs and Symptoms of Over Exposure.

Emergency and First Aid Procedures

Eyes - Flush With Water For 15 Minutes. If Irritation Persists, Call Physician.

Wash Off With Soap & Water Skin-

Drink Large Amounts of Water, Call Physician Ingestion-

Inhalation- Get Person to Fresh Air If Unconscious, Call Physician

Section 7 - Precautions For Safe Handling and Use.

Steps to be taken in case material is released or spilled - Soak up with inert, absorbant material. Scoop up and place in a proper waste disposal container.

Waste Disposal Method - Dispose of in accordinance with state and local regulations.

Precautions To Be Taken In Handling and Storing - Store in a cool, dry place, out of direct sunlight. Do not freeze or heat above 110 F.

Other Precautions - Keep out of reach of children. Follow directions on the container for proper use of this product.

Section 8 - Control Measures

Respiratory Protection - Open all doors and windows. If exposure is above TLV or PEL, a NIOSH approved respirator equipped for the exposure or suitable respiratory protection per 29 CRF 1910.134, is required. Local Exhaust - If Available

Mechanical - If Available

Special - None Other - None

Protective Gloves- None

Glasses, Goggles

Eye Protection-

Other Protective Clothing or Equipment- None

Work Hygenic Practices - Use common sense and care around chemicals. Never mix chemicals. Consult your supervisor for other practices. All practices depend on your specific business. Directions for use are normally found on label which will dictate engineering and control measures.

Other Special Requirements